DOMESTIC FAMILY AND SEXUAL VIOLENCE (DFSV) ACTION PLAN





The DFSV Action Plan is used when there has been an indication of DFSV occurring towards the patient to enhance safety and identify risk.

The Action Plan doubles as the referral to your Domestic Family Violence Linker and where safety is not acute, can be completed over several appointments with partially completed being acceptable to send when referring to link for support early. Please consider sending page 1 at minimum.

Send via fax, Medical Objects or Health Link. Please check HealthPathways for relevant contact details for your regions DFV Linker.

Please refer to the DFSV Primary Care Action Plan Guide for more information.

Patient Details	DO NOT PROVIDE PATIENT WITH A COPY OF ANY PART OF THE ACTION PLAN. IT MAY NOT BE SAFE FOR THEM TO TAKE HOME. It is recommended that clinicians using this Action Plan seek DFSV training. Please contact your PHN for free training.						
Full Name	Date of Birth	Gender/Pronouns	Patient Contact Details				
			Patient Address		Safe to receive	e letters?	□Yes □No
What culture/s does the patient identify with: ie. Aboriginal, Torres Strait Islander, LGBTQIA+ & Other Nationalities			Preferred contact number	Safe time/day to call	Safe to leave a	a message?	□Yes □No
			Alternate contact number	Safe time/day to call	Safe to leave a	a message?	□Yes □No
Does the patient need an i	nterpreter to communicate?	☐Yes ☐No	Preferred email		Safe to receive	e email?	□Yes □No
If yes, specify language/s			Alternate email		Safe to receive	e email?	□Yes □No
Children & Pregnancy			Person/s Using DFSV		·		
Is the Patient Pregnant and/or have baby under 1 year old?			Name of Person/s Using DFSV		Relationship to Patient		
Children's Name/s and Age/s			Living in same household as patient?				
			Practitioner Name / Practice				

A	DFSV Risk Assessment Enter reason for visit: DSWB (Domestic Safety Well-Being)	that the information sharing is necessary to lessen the threat (Part 13A of the Crimes (Domestic and Personal Violence) Act 2007)). Please see "Legal" section in the DESV Primary Care Action Plan Guide for further information					
1	Do you feel unsafe to go home after this visit?				□Yes □No □N/A		
2	Are the abusive behaviour/s g	□Yes □No □N/A					
	Has anyone put any pressure IF YES, have you eve (We should be conce						
3	IF YES, did beyond un	□Yes □No □N/A					
	Do you have any pain or symp						
	If current symptoms and signs						
4	Are they jealous or controlling others?	□Yes □No □N/A					
5	Do you rely on them to care fo	□Yes □No □N/A					
6	Have they ever threatened to	□Yes □No □N/A					
7	Have they ever threatened or Please specify in additional inform	□Yes □No □N/A					
8	Have they ever pressured you to do anything sexually that you did not want to do?				□Yes □No □N/A		
9	Have they ever threatened or didn't want to do while you we	□Yes □No □N/A					
10	Does the person using abuse h		□Yes □No □N/A				
11	Has the person using abuse ev		□Yes □No □N/A				
12	Does the person using abuse h		□Yes □No □N/A				
13	In the last 12 months, have you separated, changed your living arrangement, or are you thinking about doing this?			out doing	□Yes □No □N/A		
IF YES TO QUESTION 1, 2 OR 3: It is highly encouraged to call: DFV Linker 02 4728 4803 NSW Domestic Violence Line 1800 65 64 63 (Out of Hours)			Safety plan before national leaves appointment		IF NO TO ALL QUESTIONS: anning may be left to the follow up appointment.		
	Additional Relevant Informate ecific Risk indicators or patterns of easing in severity. Consider existing supports and criminal affiliation	of abuse are ng patient					

B

Safety Planning

Plan with your patient how they and their children can remain safe

When Safety Planning consider:

Supportive people and/or organisations, Safe neighbours

Escape bag – medication, clothing, important docs, comforter toy for children

Safety of children, Safety of pets

Safe communication

Electronic communications and social media

When to call the police

Consider the patient downloading the Daisy App

Safety Planning Toolkits:

RANSW Safe from Violence Booklet

1800RESPECT Safety Planning Checklist

Esafety Checklist

1800RESPECT Escape Bag Checklist

Learn more DFSV Action Plan Guide

C

Review & follow up Enter reason for visit: DSWB (Domestic Safety Well-Being)

GP follow up within two weeks.

Book a double appointment with patient. If this isn't possible, please consider an appointment with a Practice Nurse or follow up directly with the LCP/DFV Linker.

For patient safety, please consider bulk billing.

Patient Plan								
Patient needs		Goals	Goals		Management			
Identify needs as identified b	by the patient.	Record the goals agreed to by the patient Clinician and any actions the patient wil		Treatments, actions, and support services to achieve patient goals		DFSV is complex and multilayered and requires an interdisciplinary response.		
☐ Information and advice only ☐ Would like to stay in the rela abuse and violence to stop. ☐ Wants to leave the relation ☐ Requires an immediate resp accommodation. Other issues -	ationship but wants the ship	☐ Ensure safety of patient and children ☐ Address DFSV impacts on children's devenues of the communication and behavioural issues. ☐ Consider social and emotional difficulties adult and child. ☐ Patient is safe in their home (person using violence/abuse leaves). Patient is engaged/set	d es for both ng	Attend to any injuries Refer to DFV Linker for triage and on-referral including:		All referrals should be directed to your DFV Linker. When making referral to DFSV service, at minimum provide information about contact safety, cultural or other needs on Page 1. Please provide all pages 1, 2 & 3 when appropriate to do so. Consider referral to paediatric specialist services such as speech pathologists, occupational therapy, behavioural and attachment therapists with knowledge and expertise in DFSV. If patient only wants counselling, consider application to Victims Service's for counselling (if not already completed by the DFV Linker) Relationship or marriage counselling is not appropriate for DFSV. Patients involved in DFSV need to be seen by separate clinicians and support services.		
		Existing Supports (Family, friends, neighborofessional services)	bours,	Patient confident safety plan will keep them safe		Set small and simple goals for self-care Celebrate each step taken towards safety and empowerment		
Has the patient consented to	referral to the DFV Link	ker?		1	□Yes	□No		
Copy of the plan provided to	the DFV Linker?			□Yes □No		□No		
In the event the DFV Linker is	unable to make contac	ct, does the patient consent to being referr	red to an alterna	ate service	□Yes □No □N/A			
risk assessment andall aspects of the pla	safety planning,	/he has discussed with the patient: review (Practice Nurse can complete review), t and care coordination.		Scan back into the patient file and send via secure messaging. According to Part 13A of the Crimes (Domestic and Personal Violence) Act 2007, patient consent is not required for information sharing if the practitioner believes the person is at serious threat and that information sharing is necessary to lessen the threat.				
Date plan completed		Review date						
Enter Reason for visit: DSWB Follo		Follow up wit	Follow up within two weeks. If this isn't possible, please consider following up with a Practice Nurse or the DFV Linker					
		Review Notes						